

## 3D LED Display

### Key Features

- Bring novel visual impact
- Adopts energy-saving LED technology
- Excellent tool for attracting attention.
- Most creative for building brand awareness



Powerful Marketing Tool



Three-dimensional sense



Enhance Brand Image

Get more information & quotes


Web: [www.szjy-led.com](http://www.szjy-led.com)

Email: [sale20@sz-ledscreen.com](mailto:sale20@sz-ledscreen.com)

Mobile: +86 18194008750

## Specification

Custom Your 3D LED Display !



Recommended Models			
Model	P5	P6	P8
Module size(mm)	320x160	320x160	192x192
Module resolution (dot)	64x32	32x32	40x20
Scanning	1/8S	1/8S	1/5S
SMD	1G1R1B		
Maintenance	Front/Back	Front/Back	Back
Installation	Front/Back	Front/Back	Back
Cabinet size(mm)	960*960		
Density(dot/m <sup>2</sup> )	40000	27777	15625
Brightness(cd/m <sup>2</sup> )	5000	5000	5000
Max. Power Consumption(W)	1000	1000	1000
Average Power Consumption(W)	350	350	350
Cabinet weight (kg)	40kg/m <sup>2</sup>		
Cabinet material	Iron		
IP rate	IP 65		
Grayscale	10000:1		
Refresh rate(hz)	1920-3840		
Frame change frequency	50/60hz		
Horizontal viewing angle	> 140°		
Vertical viewing angle	> 140°		
Best viewing distance	> 5m	> 6m	> 8m
Input Voltage	AC110V - AC220V		
Module Max. current	5.5-7.5	3.5-5.5	5.5-7.0
Temperature-operating	- 10°C ~ 60°C		
Humidity-operating	10% ~ 90%		
Life span (H)	≥100,000		

Get more information & quotes

Web: [www.szjy-led.com](http://www.szjy-led.com)

Email: [sale20@sz-ledscreen.com](mailto:sale20@sz-ledscreen.com)

Mobile: +86 18194008750

## Advertising Screen For Shop Window

### 3D LED Display



Marketing Without Location Restrictions



Maximize Product Exposure



Extraordinary Image Quality

Get more information & quotes

Web: [www.szjy-led.com](http://www.szjy-led.com)

Email: [sale20@sz-ledscreen.com](mailto:sale20@sz-ledscreen.com)

Mobile: +86 18194008750