


# Creative LED Display



# Features



- 1.Ultra Thin and Extremely Light:The ultra-slim cabinet makes the whole screen beautiful and attractive.Cost-saving design for installation & shipping with our creative led display.
- 2.Perfect Flatness and Good Contrast:Flatness could be adjusted with our creative led display. Excellent visual performance with high refresh rate. High quality video & picture for JYLED creative led display.
- 3.Easy Installation and Maintenance:Fast easy installation with our unique seamless splicing technology.Front maintenance is available with 12-18 magnetics per creative led display panel.
- 4.Tailored Design & Solution:Module with small unit and flexbie design to do more complicated shapes for the video show.Creative design & solution for cylinder-shape, S-shape, wave-shape, sphere shape etc.

# Specification

Model	P1.538	P1.86	P2	P2.5
Pixel Pitch	1.538mm	1.86mm	2mm	2.5mm
Pixel Density	409600dot/m <sup>2</sup>	288369dot/m <sup>2</sup>	250000dot/m <sup>2</sup>	160000dot/m <sup>2</sup>
Color Configuration	SMD 3in1 1R1G1B			
Module Size	320 x 160mm			
Module Resolution	208 × 40dots	172 × 86dots	160 × 80dots	128 × 64dots
Cabinet Size	640mm x 640mm/960mm x 960mm or customized			
Driver Mode	1/52 Scan	1/43 Scan	1/40 Scan	1/32 Scan
Cabinet Material	Customized iron cabinet			
Brightness	600-1000cd/m <sup>2</sup>			
Max Power Consumption	720W/m <sup>2</sup>			
Average Power Consumption	240W/m <sup>2</sup>			
Refresh Rate	1920Hz/3840Hz			
Grey Level	16Bit			
Certifications	CE, ROHS, ISO9001			
View Angle	Horizontal 140° Vertical 140°			
Screen Control Method	PC or Mobile Phone			
IP Rating	IP31			
Input Voltage	AC110V-220V,50Hz-60Hz			
Temperature-operating	-10°C-60°C			
Life Span	≥100,000 Hours			

# References



# References

