

Cube LED Display

Key Features

- High customization capability
- High resolution & HD Display
- Meet different venue & needs
- Unique display solutions for advertising



Multiple customizable sizes



4-6 display sides optional

Get more information & quotes

Web: www.szjy-led.com

Email: sale20@sz-ledscreen.com

Mobile: +86 18194008750

Specification

Custom Your Cube LED Display!



Recommended Models			
Model	P1.5	P2	P2.5
Module size(mm)	192x192	320x160	320x160
Module resolution (dot)	128x128	160x80	128x64
Scanning	1/52S	1/40S	1/32S
SMD	1G1R1B		
Maintenance	Front		
Installation	Front/Back		
Cabinet size(mm)	384*384	960*960/640*640	
Density(dot/m ²)	444444	250000	160000
Brightness(cd/m ²)	800-1200	800-1200	800-1200 / 5000
Max. Power Consumption(W)	600		
Average Power Consumption(W)	200		
Cabinet weight (kg)	50kg/m ²		
Cabinet material	Die-casting aluminum		
IP rate	IP 31	IP31	IP31 / IP65
Grayscale	10000:1		
Refresh rate(hz)	1920-3840		
Frame change frequency	50/60hz		
Horizontal viewing angle	> 140°		
Vertical viewing angle	> 140°		
Best viewing distance	> 1.8m	> 2m	> 2.5m
Input Voltage	AC110V - AC220V		
Module Max. current	3.5-4.5	3.5-4.5	4.0-5.0
Temperature-operating	- 10°C ~ 60°C		
Humidity-operating	10% ~ 90%		
Life span (H)	≥100,000		

Common Sizes:


384*384mm
640*640mm
960*960mm

Cube LED Display

Product Cases



For Events



For Exhibition



For Retail Stores

Get more information & quotes

Web: www.szjy-led.com

Email: sale20@sz-ledscreen.com

Mobile: +86 18194008750