

JYLED LED Video Wall Panels

Key Features

- Ultra-high resolution display effect
- Soft & adjustable light brightness
- Splice seamlessly without black gaps
- Marketing & environmental beautification



LED Video Wall Background



Indoor Large Conference Video Wall



Environment Decoration

Get more information & quotes

Web: www.szjy-led.com

Email: sale20@sz-ledscreen.com

Mobile: +86 18194008750

Specification

Welcome to Custom JYLED LED Video Wall Panels !



Recommended Models			
Model	P1.86	P2	P2.5
Module size(mm)	320x160	320x160	320x160
Module resolution (dot)	172x86	160x80	128x64
Scanning	1/43S	1/40S	1/32S
SMD	1G1R1B		
Maintenance	Front		
Installation	Front/Back		
Cabinet size(mm)	640*480		
Density(dot/m ²)	288369	250000	160000
Brightness(cd/m ²)	800-1200		
Max. Power Consumption(W)	600		
Average Power Consumption(W)	200		
Cabinet weight (kg)	9KG		
Cabinet material	Die-casting aluminum		
IP rate	IP 31		
Grayscale	10000:1		
Refresh rate(hz)	1920-3840		
Frame change frequency	50/60hz		
Horizontal viewing angle	> 140°		
Vertical viewing angle	> 140°		
Best viewing distance	> 1.8m	> 2m	> 2.5m
Input Voltage	AC110V - AC220V		
Module Max. current	3.5-4.5	3.5-4.5	3.5-4.5
Temperature-operating	- 10°C ~ 60°C		
Humidity-operating	10% ~ 90%		
Life span (H)	≥ 100,000		

Get more information & quotes

Web: www.szjy-led.com

Email: sale20@sz-ledscreen.com

Mobile: +86 18194008750

JYLED LED Video Wall Panels

Product Cases



Enrich Company Conference



Health Knowledge Promotion



Bring Digital Appreciation

Get more information & quotes

Web: www.szjy-led.com

Email: sale20@sz-ledscreen.com

Mobile: +86 18194008750